


TITLE: Preparation of imidazolin-2-one derivatives as p38 MAP kinase inhibitors  
 INVENTOR(S): Kubo, Akira; Imashiro, Ritsuo; Sakurai, Hiroaki; Miyoshi, Hidetaka; Ogasawara, Akihito; Hiramatsu, Hajime; Nakajima, Tatsuo; Nakane, Tetsu  
 PATENT ASSIGNEE(S): Mitsubishi Tanabe Pharma Corporation, Japan  
 SOURCE: U.S. Pat. Appl. Publ., 76 pp., Cont.-in-part of Appl. No. PCT/JP02/10937.  
 CODEN: USXXCO  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20040204426	A1	20041014	US 2004-827294	20040420
US 7473695	B2	20090106		
WO 2003035638	A1	20030501	WO 2002-JP10937	20021022
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2004201666	A1	20040513	AU 2004-201666	20040421
WO 2004094404	A1	20041104	WO 2004-JP5716	20040421
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
JP 2004339210	A	20041202	JP 2004-125060	20040421
JP 4356504	B2	20091104		
EP 1628968	A1	20060301	EP 2004-728708	20040421
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
US 20090088422	A1	20090402	US 2008-270826	20081113
PRIORITY APPLN. INFO.:				
		JP 2001-324029	A	20011022
		JP 2002-263680	A	20020910
		WO 2002-JP10937	A2	20021022
		JP 2003-116076	A	20030421
		AU 2002-363108	A3	20021022
		US 2004-827294	A3	20040420
		WO 2004-JP5716	W	20040421

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OTHER SOURCE(S): MARPAT 141:350167

GI



AB The title compds. I [wherein G1 = (un)substituted alkyl or B-W; B = (un)substituted Ph, naphthyl, aromatic heterocyclyl, or cycloalkyl; W = a single bond or (un)substituted alkylene; Q1 and Q2 = independently H, halo, alkyl; n = 0-4; R1 = H, (un)substituted (cyclo)alkyl, Ph, or heterocyclyl; Z1-Z4 = independently CH or N with exclusions; G2 = H, NR3R4, OR5, SR5, COR6, CHR7R8, or heterocyclyl; R3-R8 = independently H, alkenyl, alkynyl, OH, alkoxy, alkoxyoxalyl, alkylsulfonyl, (un)substituted alkyl, amino, alkanoyl, carbamoyl, cycloalkyl, Ph, heterocyclyl(carbonyl), PhCO, or heterocyclyl-CO] and pharmaceutically acceptable salts were prepared as p38 mitogen activation proteins (MAP) kinase inhibitors. Thus, reacting 2,2-diethoxy-2-(pyridin-4-yl)ethylamine (preparation given) with 4-fluorophenyl isocyanate afforded the imidazolinone II. The representative compds. I significantly reduced the production of TNF- $\alpha$  in mice in vivo.

IT 521090-75-8P 521090-76-6P 521091-59-8P  
521091-62-3P 521091-63-4P 521091-65-6P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(MAP kinase inhibitor; preparation of imidazolinones as p38 MAP kinase inhibitors)

RN 521090-75-5 CAPLUS

CN Acetamide, N-[trans-4-[(4-[1-ethyl-3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

## Relative stereochemistry.




• HCl

RN 521090-76-6 CAPLUS

CN Acetamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-1-(1-methylethyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 521091-59-8 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-1-(1-methylethyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 521091-62-3 CAPLUS

CN Carbamic acid, [trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-1-(1-methylethyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 521091-63-4 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[1-ethyl-3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 521091-65-6 CAPLUS

CN Carbamic acid, [trans-4-[[4-[1-ethyl-3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

IT 1070144-37-4 1070144-44-3 1070144-77-2


RL: PRPH (Prophetic)

(Preparation of imidazolin-2-one derivatives as p38 MAP kinase inhibitors)

RN 1070144-37-4 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl- (CA INDEX NAME)


Relative stereochemistry.



RN 1070144-44-3 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-1-(1-methylpropyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl- (CA INDEX NAME)


Relative stereochemistry.



RN 1070144-77-2 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1-(tetrahydro-2H-pyran-4-yl)methyl]-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl- (CA INDEX NAME)

Relative stereochemistry.



IT 774580-02-8P 774580-12-0P 774580-20-0P

774580-26-6P 774580-27-7P 774580-28-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of imidazolinones as p38 MAP kinase inhibitors)

RN 774580-02-8 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-1-(1-methylethyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl-, hydrochloride (1:1) (CA INDEX NAME)


Relative stereochemistry.



RN 774580-12-0 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1-(tetrahydro-2H-pyran-4-yl)-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 774580-20-0 CAPLUS

CN Methanesulfonamide, N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1-(tetrahydro-2H-pyran-4-yl)-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl-, hydrochloride (1:1) (CA INDEX NAME)


Relative stereochemistry.



RN 774580-26-6 CAPLUS

CN Methanesulfonamide, N-[trans-4-[(4-fluorophenyl)-2,3-dihydro-1-(2-hydroxy-2-methylpropyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl-, hydrochloride (1:1) (CA INDEX NAME)


Relative stereochemistry.



RN 774580-27-7 CAPLUS

CN Methanesulfonamide, N-[trans-4-[(4-fluorophenyl)-2,3-dihydro-1-(3-hydroxy-3-methylbutyl)-2-oxo-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-N-methyl-, hydrochloride (1:1) (CA INDEX NAME)


Relative stereochemistry.



RN 774580-28-8 CAPLUS

CN Methanesulfonamide, N-ethyl-N-[trans-4-[[4-[3-(4-fluorophenyl)-2,3-dihydro-2-oxo-1-(tetrahydro-2H-pyran-4-yl)-1H-imidazol-4-yl]-2-pyrimidinyl]amino]cyclohexyl]-, hydrochloride (1:1) (CA INDEX NAME)

Relative stereochemistry.



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD  
(2 CITINGS)

REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 29 OF 38 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:822842 CAPLUS [Full-text](#)

DOCUMENT NUMBER: 141:314346

TITLE: Preparation of quinoline, tetrahydroquinazoline, and pyrimidine derivatives as MCH antagonist for treatment of CNS disorders

INVENTOR(S): Sekiguchi, Yoshinori; Kanuma, Kosuke; Omodera, Katsunori; Busujima, Tsuyoshi; Tran, Thuy-Anh; Han, Sangdon; Casper, Martin; Kramer, Bryan A.; Semple, Graeme; Zou, Ning

PATENT ASSIGNEE(S): Taisho Pharmaceutical Co. Ltd., Japan; Arena Pharmaceuticals, Inc.

SOURCE: Eur. Pat. Appl., 586 pp.

CODEN: EPXXDW

Patent

DOCUMENT TYPE: